



# Seagate Personal Cloud User Manual

---



---

Model: SRN21C



**Click here to access an up-to-date online version** of this document. You will also find the most recent content as well as expandable illustrations, easier navigation, and search capability.

# Contents

<b>1</b>	<b>Welcome to Your Personal Cloud</b>	<b>6</b>
	System Requirements	9
	• What's in the Box?	9
	Hardware Requirements	10
	Software Requirements	10
	Internet Requirements	10
<b>2</b>	<b>Connect Your Personal Cloud</b>	<b>10</b>
<b>3</b>	<b>Owner Setup</b>	<b>12</b>
	Set Up Your Owner Account	12
<b>4</b>	<b>Adding and Managing Users</b>	<b>14</b>
	Open the Users page	14
	Add users	14
	Manage remote access for an existing user	14
	Edit a user	15
	Delete a user	15
<b>5</b>	<b>Public and Private Folders</b>	<b>17</b>
	What's the difference?	17
	Which folder to use	18
	• Public folder	18
	• Private folder	18
<b>6</b>	<b>Media Library</b>	<b>19</b>
	Create and maintain your media library	19
	Stream media content	19
	• Stream media at home	19
	• Stream media away from home	21
	• Remotely access media content	22
<b>7</b>	<b>Back up</b>	<b>23</b>
	Back up your devices	23
<b>8</b>	<b>Sync with Your Cloud Service</b>	<b>26</b>

<b>9</b>	<b>Download Large Files</b>	<b>27</b>
	Open the Download Manager	27
	• Download large files	27
	• Manage download settings	27
<b>10</b>	<b>Passwords</b>	<b>28</b>
	Account types	28
	Changing passwords	28
	• Owner password	28
	• User password	28
	• Local and remote access	29
	• Owner	29
	• User	29
	Changing the password in Sdrive	29
	Resetting a forgotten password	30
	• Password hint	30
	• Resetting the password: Personal Cloud and Sdrive	30
	• Reset on the Personal Cloud	30
	• Reset your Seagate Account with Sdrive	30
<b>11</b>	<b>Owner Administration</b>	<b>31</b>
	Open the Device Manager	31
	LED Behavior	31
	Personalize your Personal Cloud	31
	Reset your Personal Cloud	32
	Changing Device Services	32
	Start and stop a service	32
	Re-index a media service	32
	Control remote access for all users	33
	Conserve power usage	33
	Connect your device to an uninterruptible power source	33
	Notifications	34
	Storage usage	34
	Network Settings	34
	Change the IP configuration	34
	Configure a proxy server	35
	Configure port forwarding	35
<b>12</b>	<b>App Manager</b>	<b>37</b>
	Overview	37
	How to Install Apps	37
	Maintenance	37
	Advanced	38

<b>13 .Filebrowser</b> .....	<b>39</b>
Upload files .....	39
Share files .....	39
Viewing or listening to files .....	40
Manage content .....	40
Create a Folder .....	40
Ingest from an external drive .....	40
<b>14 Backup Manager</b> .....	<b>41</b>
Backup .....	41
Restore .....	42
Sync .....	42
Network Backup disk .....	42
• Backup, Sync, and Restore examples .....	42
• Back up to a USB storage device .....	42
• Back up to a Seagate network storage device on the home network .....	43
• Back up to a network storage device outside the local network (offsite) .....	43
• Back up to a cloud service .....	43
• Restore .....	43
Create a backup .....	43
Back up using USB storage .....	44
Back up using network storage .....	44
• Backups between Seagate Personal Cloud and other network storage devices .....	45
• Enable Network Backup server .....	45
• Network Backup server settings .....	46
• Backups with third-party network storage .....	46
• Backups to network storage devices .....	46
• Home or local network .....	46
• Remote network .....	47
• Advanced parameters for backups to network storage devices .....	47
Back up using cloud storage .....	47
• Advanced parameters for backups to cloud storage .....	48
Sync folders .....	48
• Create a sync: .....	48
Restore a backup .....	48
Backup and sync job options and start/stop .....	49
• Options .....	49
• Starting/stopping jobs .....	49
<b>15 Appendix A: Compliance and Safety</b> .....	<b>50</b>
Regulatory Compliance .....	50
• FCC DECLARATION OF CONFORMANCE .....	50
• FCC Class B Information .....	50
• Europe - EU Declaration of Conformity .....	51
• Safety Guidelines .....	53
• Power Source .....	53

- Safety Handling ..... 53
- Safety ..... 54
- Environment..... 54
- Personal Cloud Placement..... 54
- Data Security ..... 55

# Welcome to Your Personal Cloud

Thank you for purchasing the Seagate Personal Cloud. You and everyone in your household can create a centralized media library and safeguard your important files in one location.

With Seagate's free apps, your content is safe and available to you no matter where you are.




**Seagate Dashboard**—Create backup plans to effortlessly and automatically back up content from your PC.



**Seagate Dashboard**—Create and maintain your media library on your PC or Mac with the Smart Copy feature.



**Seagate Mobile Backup**—Back up your mobile devices to your Personal Cloud.




**Seagate Media**—Stream your media library to your mobile devices, Smart TVs, and other media devices.



**Backup Manager**—Back up to the cloud and sync with cloud services.






**Backup Manager**—Back up your backups to USB attached storage or another network attached storage device.

## System Requirements

Before you begin setting up your Personal Cloud, read through these instructions and specifications and review the [safety guidelines](#).

## What's in the Box?

Make sure that you have these items. If not, contact [Seagate Customer Support](#).



## Hardware Requirements

Your router must have one 10/100/1000 Ethernet port.

## Software Requirements

- Windows® 10, 8.1, Windows 7, and Windows Vista®
- Mac OS® X v10.8 or later

## Internet Requirements

- Internet connection for activation and online file access and sharing

One of these web browsers:

- Internet Explorer® 9.x or later
- Firefox® 5.x or later
- Chrome 11.x or later
- Safari® 5 or later

## Connect Your Personal Cloud

1. Using the supplied Ethernet cable, connect your Personal Cloud to your Wi-Fi router.
2. Attach the power adapter to the Personal Cloud power port, and plug the adapter into a power outlet.



While powering up, the LED on the top of the device quickly flashes white. When the LED is a solid white, the device is ready to access on your network. For more information about the LED behavior, see [LED Behavior](#).

# Owner Setup

When you set up your Personal Cloud, you also create the owner account. The owner adds users, manages the device's services, such as iTunes, and manages device settings, such as power management.

If you followed the quick start guide and were successful setting up your device and adding your owner account, you can start [adding users](#).

## Set Up Your Owner Account

1. Access your Personal Cloud.
  - PC—In Windows or File Explorer under **Networks**, click **PersonalCloud**.
  - Mac—In Finder under **Shared**, click **PersonalCloud**.



**Note:** If your computer does not detect your Personal Cloud, go to [Seagate Support](#).

2. Open the **Public** folder and then double-click **Personal Cloud**.  
The Welcome screen opens in your web browser.



**Note:** You can also access your Personal Cloud through the Seagate Dashboard desktop icon. Learn more about the [Seagate Dashboard](#).

3. Enter your email address and create a password.

If you have registered with Seagate before (for example, you already have a Seagate Access account), you can use the same email address and password.

Your Personal Cloud creates your:

- Username, which allows you to access your private folder, manage users, and manage device settings
- Private folder where you can store personal content
- Seagate Access account, which allows you to access your Personal Cloud remotely and enable remote access for other users

A message is sent to your email account with the confirmation code needed to activate your Seagate Access account.



**Note:** Check your spam folder if you don't find an email in your Inbox.

4. Enter the confirmation code and complete your owner information.



**Note:** You also need to confirm your Seagate Access account before you can give other users remote access.

## 5. Click **Finish**.

The Personal Cloud Welcome tour opens. Take a moment to complete the tour to learn about Personal Cloud features.

The Personal Cloud management page opens.



1. **Device Manager.** Manage users and manage your device.
2. **Download Manager.** Download files from your computer or the Internet to your device.
3. **Backup Manager.** Manage your backups from your computer, cloud service, and device.
4. **App Manager.** Install apps onto your device.
5. **Sdrive.** Access your content remotely.
6. **Seagate Media.** Enjoy your media library on your mobile devices.
7. **IFTTT.** Connect your Personal Cloud to your IFTTT account. For details, see the [IFTTT for Seagate Storage User Manual](#).
8. **Filebrowser.** Access your files in your web browser.

Apps with arrow overlays are not installed. Click the app to install it.

You are now ready to:

- [Add user accounts.](#)
- [Begin building your media library](#)
- [Protect your important documents](#)
- [Manage your Personal Cloud](#)

# Adding and Managing Users

The Personal Cloud owner can add and manage users.

## Open the Users page

1. Access your Personal Cloud.
  - PC—In Windows or File Explorer under **Networks**, click **PersonalCloud**.
  - Mac—In Finder under **Shared**, click **PersonalCloud**.
2. Open the **Public** folder and then double-click **Personal Cloud**.
3. Sign in with your username and password.
4. Click **Device Manager** and then click **Users**.

## Add users

As the owner, you can invite people at home and outside of your home network to use your Personal Cloud.

1. [Open the Users page](#).



**Note:** If you want to enable remote access and you haven't confirmed your Seagate Access account, do so now by clicking **Confirm Email**.

2. Click **Add user**.

You can add two types of users:

- **Local and remote**—A user who has access to your home network and can also have remote access to your Personal Cloud when away from home.
  - **Local only**—A user who has access to your home network only. You can add remote access later.
3. Complete the New User form.

An email with instructions is sent to the new user. Users should check their Spam folder if they have not received their email invitation. The code is valid for 72 hours. The owner can send a new invitation if the code expires.



**Important info:** Your Personal Cloud can have a maximum of 10 users.

## Manage remote access for an existing user

The owner can manage remote access on a user-by-user basis. Remote access allows users to access

content while away from home.  
You can also [control remote access for all users](#).




To manage remote access for a specific, existing user:

1. [Open the Users page](#).



**Note:** If you want to enable remote access and you haven't confirmed your Seagate Access account, do so now by clicking Confirm Email.

2. Click the dot under Seagate Access to the right of the username.

Seagate Access Status	Description
	Seagate Access is on
	The owner has invited a user to create a Seagate Access, but the process is not complete.*
	Seagate Access is off

\* A yellow dot indicates a pending status. You have invited the user to create a Seagate Access account and the Personal Cloud is waiting for the user to complete the process.

## Edit a user

Only the Personal Cloud owner can change a user's username and email address. Both the owner and user can change the user's private folder password, as described in [Passwords](#).

1. [Open the Users page](#).
2. Click the item you want to change.
  - Username—Changing the username also changes the user's private folder name.
  - Password—Changes only the user's private folder password. The option to change a user's password is not available if the user has a Seagate Access account. The user can change her password in Sdrive (see [Passwords](#)).
  - Email address—The email address is the user's Seagate Access ID, which is used to remotely access your Personal Cloud.

## Delete a user

The Personal Cloud owner can delete all user accounts. Deleting a user account also deletes the user's private folder and its contents.

If the user has created backup plans through the Backup Manager, the backups are also deleted. For more information, see [Backups](#).

1. [Open the Users page](#).

2. Place the cursor to the right of the user's row and then click **Edit** and choose **Delete**.




# Public and Private Folders

Your Personal Cloud has a Public folder that anyone can use and a private folder where each local user can store personal content that others cannot see.

## What's the difference?

Everyone on your home network can access the Public folder. Anyone who has been given a Seagate Access account to the storage device can also access the Public folder. Use the Public folder for files you want to share and for your centralized media library.

A private folder is created for each user account and is password protected. Use your private folder to back up content that you don't want to share with others.



# Which folder to use

## Public folder

Create your media library in the Public folder and copy any data that you want to share to the Public folder so that you and others can access it. See [Media Library](#).

## Private folder

Back up your content to safeguard against computer malfunctions. Content backed up to the Public folder can be viewed by anyone who has access. No one but you can view content backed up to your private folder. You can back up your computer and mobile devices using Seagate Dashboard software and Seagate Mobile Backup apps. You can also back up your backups by creating backup and sync plans in the Personal Cloud with Backup Manager

For information on Seagate Dashboard and Mobile Backup apps, visit the [Seagate Dashboard](#) page.

For information on backing up your backups, see [Backing Up](#) and [Syncing Content](#).

# Media Library

You can use your Seagate Personal Cloud to centralize your media. Copy media to the library and stream its content on devices throughout your home and away from home.

## Create and maintain your media library

Music, movies, and photos—you and other household members probably each have media files on multiple devices. You can consolidate your media in one place on your Personal Cloud for sharing and easy maintenance.

Copy your media library to the Public folder on your Personal Cloud. You can easily stream the content on your other devices using the Seagate Media app, which only accesses the Public folder.


Before you copy your media to your Personal Cloud from your computer, Seagate recommends that you connect your computer directly to your router instead of using a Wi-Fi connection. Wi-Fi speeds are not ideal for copying large quantities of files.

To copy content from your	You need to
Computer	<a href="#">Install Seagate Dashboard</a> on your computer, and create a Smart Copy plan that continuously updates your media library on your Personal Cloud.
Mobile device	Install Seagate Media on your mobile device from your app store, and set up Auto Upload to automatically back up photos and videos to your Personal Cloud. Configure Auto Upload in the Seagate Media app's Settings menu.
External device	Connect the device to a USB port on your Personal Cloud and use Filebrowser to copy content. For instructions, see <a href="#">Filebrowser</a> . You can also configure regular backups to and from the external device. See <a href="#">Backup Manager</a> for details.

## Stream media content

You can stream your centralized media library from the Public folder on your Personal Cloud throughout your home on a variety of devices and remotely on your mobile devices.


## Stream media at home

To stream content to your	You need to
Apple TV	<ol style="list-style-type: none"> <li>1. Install the Seagate Media app on your mobile device.</li> <li>2. Connect your mobile device to your Personal Cloud. (Your mobile device and Personal Cloud must be on the same home network.)</li> <li>3. Launch the Seagate Media app.</li> <li>4. Use the Apple TV remote to select the local network from the list or to enter local network's name if the network is hidden. (Your Apple TV must be on the same home network as your Personal Cloud and mobile device.)</li> <li>5. Enter your password if requested. The Apple TV connects to the router.</li> <li>6. Enable AirPlay. Swipe up from the bottom of your mobile device to access <b>Control Center</b>. Select your Apple TV.</li> </ol> <div style="border: 1px solid #ccc; background-color: #f9f9f9; padding: 10px; margin: 10px 0;">  <b>Tip:</b> Make sure Mirroring is off for Videos and Music. </div> <ol style="list-style-type: none"> <li>7. Select a movie or song in the Seagate Media app and click Play. The movie or song plays on the TV connected to your AirPlay device.</li> </ol>
Chromecast	<ol style="list-style-type: none"> <li>1. Configure Chromecast on your TV and Wi-Fi per the manufacturer's instructions.</li> <li>2. Install Seagate Media on your mobile device.</li> <li>3. Tap the cast icon and choose video, photo, or music to start casting.</li> </ol>
DLNA Certified device	<p>The DLNA service, an industry-wide standard for sharing data over a home network, is turned on by default on your Personal Cloud.</p> <ol style="list-style-type: none"> <li>1. Connect your DLNA Certified device and your Personal Cloud to the same Wi-Fi network (when required).</li> <li>2. Consult your DLNA Certified device's instructions.</li> <li>3. Generally, DLNA provides a menu showing available devices. Select your Personal Cloud.</li> </ol> <p>Your DLNA Certified device loads the content it is able to play from your Personal Cloud.</p>

iTunes	<p>Turn on the iTunes service.</p> <ol style="list-style-type: none"> <li>1. In the Device Manager, click Services.</li> <li>2. Place your mouse over the iTunes service. Click the <b>Edit</b> menu that appears, and then click <b>Start</b>.</li> <li>3. Start iTunes on your computer.</li> <li>4. Open Preferences. (On a Mac keyboard, press command+comma. In iTunes on your PC, select <b>Preferences</b> from the Edit menu).</li> <li>5. Click the <b>General</b> tab and ensure that Shared Libraries is checked.</li> <li>6. Open the menu sidebar (<b>View &gt; Show Sidebar</b>)</li> <li>7. Under Shared, select <b>PersonalCloud</b></li> </ol> <p>To learn how to copy your iTunes library to your Personal Cloud, visit the <a href="#">Seagate Personal Cloud support page</a>.</p>
LG TV	<ol style="list-style-type: none"> <li>1. Turn on your LG TV.</li> <li>2. Connect your LG TV and your Personal Cloud to the same Wi-Fi network.</li> <li>3. Install the Seagate Media app on your mobile device.</li> <li>4. Connect your mobile device to your Personal Cloud.</li> <li>5. Tap the cast icon and choose video, photo, or music to start casting.</li> </ol>
Roku	<p>There are two ways to enjoy content on Roku.</p> <ol style="list-style-type: none"> <li>1. Install Roku Media Channel from the Roku app store and connect to your Personal Cloud through the app.</li> <li>2. Install the Seagate Media app on your mobile device. Connect your Roku device and Personal Cloud to the same Wi-Fi network. Tap the cast icon and choose video, photo, or music to start casting.</li> </ol>
Samsung Smart TV	<p>Install Seagate Media from the Samsung app store and connect to your Personal Cloud through the app.</p>

## Stream media away from home

<p>To remotely stream content to your</p>	<p>You need to</p>

<p>iOS or Android media device</p>	<p>Install the Seagate media app.</p> <p>Seagate recommends that you install the Seagate Media app on your mobile device for optimal access and viewing of your media. The Seagate Media app contains a remote access module that allows you to sign in to your Seagate Access account and access your Personal Cloud media library.</p> <div data-bbox="272 415 1511 604" style="background-color: #f0f0f0; padding: 10px; border: 1px solid #ccc;"> <p> <b>Note:</b> You must create your Seagate Access account on your Personal Cloud before you can sign in through the Seagate Media app.</p> </div>
------------------------------------	---

## Remotely access media content

You can remotely access your centralized media library on your Personal Cloud from your Mac and PC computer.

To remotely access content on your	You need to
<p>Mac and PC computer</p>	<ol style="list-style-type: none"> <li>1. Install Sdrive, an application that you use to access content on your Personal Cloud.</li> <li>2. Go to the <a href="#">Personal Cloud support page</a> and install the Sdrive client on your computer.</li> <li>3. Restart your computer. The software automatically opens.</li> <li>4. Sign in with your Seagate Access account credentials.</li> <li>5. Review the drives associated with your Seagate Access account: <ul style="list-style-type: none"> <li>• Windows: Right-click the Sdrive icon in the system tray.</li> <li>• Mac: Left-click the Sdrive icon in the menu bar.</li> </ul> </li> </ol>

# Back up


Seagate provides several ways to protect your content. You can back up your:

- Personal Cloud
- Computers
- Mobile devices
- Cameras
- USB storage
- Cloud storage
- Network storage (e.g. another Personal Cloud, Seagate network storage or third-party network storage).

Before backing up a computer to your Personal Cloud, Seagate recommends that you connect the computer directly to your router instead of using a Wi-Fi connection. Wi-Fi speeds are not ideal for copying large quantities of files. After you have created your first backup, you can back up future changes over Wi-Fi.

## Back up your devices

To back up content from your	You need to
PC	<a href="#">Install Seagate Dashboard</a> on your computer, and create a backup plan.

Mac	<p><b>Set up a Time Machine plan.</b></p> <ol style="list-style-type: none"> <li>1. Open Time Machine preferences.</li> <li>2. Click <b>Select Disk</b>.</li> <li>3. Find your Private folder name.</li> </ol>  <ol style="list-style-type: none"> <li>4. Select the folder and click <b>Use Disk</b>.</li> <li>5. Enter your Personal Cloud username and password.</li> <li>6. Click <b>Connect</b>.</li> </ol> <p>Wait for a minute or two to connect. Your backup will start automatically.</p>
Mobile device	<ol style="list-style-type: none"> <li>1. <a href="#">Install Seagate Dashboard</a> on your PC or Mac, and sign in to the Mobile Backup section in Dashboard.</li> <li>2. Install Seagate Media on your mobile device from your app store, and set up Auto Upload to automatically back up photos and videos to your Personal Cloud. Configure Auto Upload in the Seagate Media app's Settings menu.</li> <li>3. Install Seagate Media on your mobile device from your app store, and set up Auto Upload to automatically back up photos and videos. Auto Upload is located in the Settings menu of the Seagate Media app.</li> </ol>
Personal Cloud	See <a href="#">Backup Manager</a> .
Cameras	See <a href="#">Backup Manager</a> for backups and <a href="#">Filebrowser</a> for easy copying and ingest.
USB storage	See <a href="#">Backup Manager</a> .
Cloud storage	See <a href="#">Backup Manager</a> .



Network storage (e.g. another Personal Cloud, Seagate network storage or third-party network storage)

See [Backup Manager](#).

# Sync with Your Cloud Service

You can protect folders on your Personal Cloud by synchronizing them with your cloud service. Syncing also lets you access your content from anywhere. This two-way sync guarantees that the Personal Cloud content that you choose to save to the cloud service stays up to date when you make changes in the cloud service or on your Personal Cloud.

For further information and instructions, see [Backup Manager](#).

# Download Large Files

You can use your Personal Cloud as an efficient way to download large PDF, torrent, or binary files from your computer or the Internet.

## Open the Download Manager

1. Access your Personal Cloud.
  - PC—In Windows or File Explorer under **Networks**, click **PersonalCloud**.
  - Mac—In Finder under **Shared**, click **PersonalCloud**.
2. Open the **Public** folder and then double-click **Personal Cloud**.
3. Sign in with your username and password.
4. Click **Download Manager**.

## Download large files

You can download torrent files from your computer to your Personal Cloud and download PDF, binary, and torrent files from the Internet.

1. [Open the Download Manager](#).
2. Click **Jobs**.
3. If the service is off, click the slider on the right to turn the service on.
4. Click **Add download**.
5. Enter the source.
  1. If the file is on the Internet, select **URL** and enter the URL address.
  2. If the file is on your computer and it is a torrent file, select **Local** and browse for the file.
6. Enter the destination folder on your Personal Cloud.
7. Click **Save**.

## Manage download settings

You can change the number of downloads that you can request at the same time and change the download and upload rates.

[Open the Download Manager](#) and click **Settings**.

# Passwords

## Account types

The owner creates one of the following types of accounts for herself and users:

- **Local access only.**
  - Log into your Personal Cloud on the home network.
- **Local and remote access.**
  - Log into your Personal Cloud on the home network.
  - Log into your Personal Cloud at remote locations using your Seagate Access account. Seagate Access is compatible with Sdrive and Seagate Media.

For further information regarding Seagate Access and Sdrive, see the [Seagate Access for Personal Cloud User Manual](#).

## Changing passwords

Make certain to log into your Personal Cloud on the home network when revising your password. Passwords cannot be changed when you log into your Personal Cloud from remote locations with Sdrive.

## Owner password

Account type	Access	Change password
Local access only	The owner enters the password to connect to her private folder on the home network.	Log into the Personal Cloud and go to <b>Device Manager &gt; Users</b> .
Seagate Access account (local and remote access)	The owner enters the password to connect to her private folder on the home network as well as Sdrive to connect from remote locations. The password can also be used to connect to media with Seagate Media for mobile devices.	To keep passwords consistent between your Personal Cloud and Seagate Access, update your password on the Personal Cloud on the home network.  Log into the Personal Cloud on the home network and go to <b>Device Manager &gt; Users</b> .

## User password

The user or the owner can change a user's password.

Account type	Access	Change password
Local access only	The user enters the password to connect to her private folder on the home network.	Log into the Personal Cloud to change the password.
Seagate Access account (local and remote access)	The user enters the password to connect to her private folder on the home network as well as Sdrive to connect from remote locations.	To keep passwords consistent between the Personal Cloud and Seagate Access, update the password on the Personal Cloud on the home network.  Log into the Personal Cloud on the home network and go to <b>Device Manager &gt; Users</b> .

## Local and remote access

When first creating an account, the password is synchronized between the Personal Cloud and Seagate Access. To keep passwords consistent between the Personal Cloud and Seagate Access, update the password on the Personal Cloud on the home network as instructed below.

### Owner

1. Log into Personal Cloud and click [Device Manager](#).
2. Click **Users**.
3. Find the user you want to change and then click the password.
4. Update the password in the pop-up window.

### User

1. Log into Personal Cloud and click [Device Manager](#).
2. Place the cursor over your password and click the pencil icon.
3. Change your password.

## Changing the password in Sdrive

Sdrive gives you the option to change your Seagate Access password. However, changing your Seagate Access password in Sdrive does not update your password on the Personal Cloud. Therefore, if you only update your password on Sdrive, you must log into your Personal Cloud with the old password.

It is highly recommended that you manage both passwords on your Personal Cloud on the home network.

For further information regarding Seagate Access and Sdrive, see the [Seagate Access for Personal Cloud User Manual](#).

# Resetting a forgotten password

The sign-in page for your Personal Cloud includes the option to reset a forgotten password. Resetting the password on the sign-in page only updates the password on your Personal Cloud. It does not update the password for your Seagate Access account. Therefore, your password will not be synchronized between your Personal Cloud and Seagate Access. Review the options below to learn how to manage a forgotten password.

## Password hint

Before resetting the password on the Personal Cloud sign-in page, you can attempt to recall it via the password hint you entered during the Personal Cloud setup.

1. Launch Sdrive.
2. On the Sdrive sign-in page, click **Password hint**.
3. Check your email for your password hint. If you recall your password, use it to log into your Personal Cloud and Sdrive.

## Resetting the password: Personal Cloud and Sdrive

If you cannot recall your password, you have the option to reset it in two applications to maintain consistency:

- Personal Cloud sign-in page
- Sdrive

### Reset on the Personal Cloud

1. Go to the Personal Cloud sign-in page.
2. Click **Forgot password** and complete the reset.

### Reset your Seagate Account with Sdrive

1. Launch Sdrive.
2. Enter your email and click **Can't access your account**.
3. Check your email for instructions on how to reset your Seagate Access password. Make certain to use the same password you created when resetting your Personal Cloud password.

# Owner Administration

Your Personal Cloud has been configured with standard default settings. The Personal Cloud owner can modify the settings, such as the device name, time zone, and the services used.

## Open the Device Manager

1. Access your Personal Cloud.
  - PC—In Windows or File Explorer under **Networks**, click **PersonalCloud**.
  - Mac—In Finder under **Shared**, click **PersonalCloud**.
2. Double-click the **Public** folder on the right side, and then double-click **Personal Cloud**.
3. Sign in with your username and password.
4. Click **Device Manager**.

## LED Behavior

Your Personal Cloud LED is on the top of your device. When your device is starting up for the first time, the LED blinks white. After 8 – 10 minutes, your device is ready to access over your Wi-Fi network.



**Note:** Your LED might continue to blink, as the hard disk drive is initiating the software.

If you reset your device, the LED begins blinking red, and then blinks white.

## Personalize your Personal Cloud

You can personalize your device by changing its name, the language, time zone, and more.



**Note:** Changing the device name does not affect local or remote access.

1. [Open the Device Manager](#).
2. Click **Settings** and make your changes.

You can change settings that have an on and off button or display a pencil icon when you place the cursor over the setting. Click the pencil icon to make a change.



**Note:** If you want to change the time zone, and you have enabled Synchronization, turn it off before changing the time zone and then turn it back on.

## Reset your Personal Cloud

You can reset your device. A reset is not data-destructive. Performing these steps resets the network settings and requires you to go through the initial setup process again. Your data is moved to a folder called Recovery in the Public folder.

The reset button is inside the casing on the back of your Personal Cloud.

1. Power off your Personal Cloud using the power button on the back of the device.
2. Insert a paper clip or slim object into the hole on the back of your Personal Cloud and press down the reset button. Do not release the reset button.
3. Power on your Personal Cloud.
4. Wait for a minimum of 20 seconds, and then release the reset button.
5. The LED will blink red. Wait while the device resets to factory settings.



**Important info:** Do not turn off the device while the LED is blinking red.

6. Wait for the LED on the top of the device to show a steady, non-blinking white light.
7. Set up your device.

## Changing Device Services

Your Personal Cloud is preconfigured with many services that allow you to stream to a TV, use iTunes, download and upload files to your computer, and manage remote access.

## Start and stop a service

1. [Open the Device Manager](#).
2. Click **Show advanced settings**, and then click **Services**.
3. Move the cursor over the service until the Edit button appears on the right.
4. Click **Edit** and select **Start** or **Stop**.

## Re-index a media service

If media files appear to be missing from your media service, you can re-index the service to take an inventory of available multimedia files.

1. [Open the Device Manager](#).
2. Click **Show advanced settings**, and then click **Services**.



3. Move the cursor over a media service until the Edit button appears on the right.
4. Click **Edit** and select **Re-index**.

## Control remote access for all users

By default, anyone with a Seagate Access account on your Personal Cloud can access content on the storage drive while away from home. You can disable this ability for all accounts. If you want to disable this ability for a specific user, see [Manage remote access for an existing user](#).

1. [Open the Device Manager](#).
2. Click **Show advanced settings**, and then click **Services**.
3. Move the cursor over Seagate Access until the Edit button appears on the right.
4. Click **Edit** and select **Enable remote access** or **Disable remote access**.  
A green circle indicates that the service is enabled.

## Conserve power usage

You can save energy by turning off hard drives and powering off your device after a specified interval of inactivity. When you turn off the hard drive, it still remains active to receive network commands from other devices.

1. [Open the Device Manager](#).
2. Click **Show advanced settings**, and then click **Power**.
3. To turn the hard drive off after a specified interval, select a value from the pull-down menu.
4. To turn power saving mode on or off, slide the button.

## Connect your device to an uninterruptible power source

Connecting your Personal Cloud to an uninterruptible power source (UPS) ensures a continuous power supply.

1. Confirm that no one is accessing your Personal Cloud and power it off.
2. Connect a supported UPS device to a USB port on your Personal Cloud.



**Note:** If you plan to schedule frequent backups to and from an external device, you might want to connect the UPS to the USB 2.0 port on your device. The USB 3.0 port provides greater transfer speeds.

3. Power on your Personal Cloud.
4. [Open the Device Manager](#).
5. Click **Show advanced settings**, and then click **Power**.
6. Set the battery threshold level.

If your Personal Cloud reaches the threshold, it will automatically enter stand-by mode. The UPS's status is provided within UPS Management:

- The power cable is supplying power.
- The power cable is not supplying power.

**i** **Important info:** Seagate cannot guarantee that all UPS devices are compatible with your Personal Cloud UPS management.

## Notifications

You can monitor device activities, such as when a user was added and when the drive synchronized.

1. [Open the Device Manager](#).
2. Click **Show advanced settings**, and then click **Notifications**.  
You can filter notifications based on warning, errors, or show all notifications. You can also download the system log.

## Storage usage

You can check how much storage is available on your Personal Cloud and format your drive.

1. [Open the Device Manager](#).
2. Click **Show advanced settings**, and then click **Network drive**.  
The capacity of the drive displays.

You can also format your drive.

**i** **Important info:** Formatting your drive erases all data. Before formatting the drive, back up your data to another drive.

To learn how to reformat your drive, review the support article: [Create a new volume](#).

## Network Settings

Usually, you do not need to change your Personal Cloud network settings. If you are having issues with network connectivity, changing the settings might solve the problem.



**Note:** Changing network settings requires some understanding of networking and your specific setup.

## Change the IP configuration

By default, the IP configuration uses DHCP, a standard networking protocol that dynamically selects IP addresses for interfaces and services.

If you are having issues with network connectivity, you might want to use a fixed IP address.

1. [Open the Device Manager](#).
2. Click **Show advanced settings**, and then click **Network**.
3. On the Connections tab, click **Edit**.
4. Click either the **IPv4** or **IPv6** tab.



**Note:** Not all devices support IPv6. Go to [test-ipv6.com](http://test-ipv6.com) to determine if IPv6 is supported.

5. (IPv4). Select **Manual** or **Automatic (DHCP)** from the pull-down menu, and then click **Save**.
6. (IPv6). Select an option from the pull-down menu, and then click **Save**.

## Configure a proxy server

A proxy server acts as an intermediary between computers and the Internet. It allows the computers on your network to make indirect network connections to other network services. Using a proxy server:

- Speeds up Internet surfing
- Hides the IP address of a computer so that you can surf anonymously
- Bypasses security restrictions and filters to access blocked websites easily



**Note:** Your router must have a proxy server to complete these steps.

1. [Open the Device Manager](#).
2. Click **Show advanced settings**, and then click **Network**.
3. On the Proxy tab, select **Proxy server** in the drop-down menu.
4. Enter the proxy server address and the name and password if authentication is required.
5. Click **Apply**.

## Configure port forwarding

Port forwarding makes your Personal Cloud on your network accessible to other network attached storage devices on the Internet, even though your Personal Cloud is behind a router. Automatic port forwarding is enabled by default, and the port numbers are the same for your Personal Cloud and router ports.

If you need to change the router port number for services, confirm that the ports are available on your router. Additionally, you must confirm that your router is compatible with UPnP-IGD/NAT-PMP protocols. See your router's user manual for details.

1. [Open the Device Manager](#).
2. Click **Show advanced settings**, and then click **Network**.
3. On the Port Forwarding tab, move the cursor over the service until the Edit button appears on the right.
4. Click **Edit**, and then click **Enable**.



# App Manager

Use the App Manager to install and manage apps on your device. Apps give your device additional functions and features. The App Manager includes apps that are Seagate branded as well as apps that are developed by third parties specifically for Seagate network devices.

## Overview

Review the list below to learn about the App Manager categories:

- **My Apps:** Your installed apps.
- **Updates:** Available updates for installed apps.
- **All:** All available apps.
- **Backup:** Apps used to back up your data.
- **Business:** Apps used to for commercial purposes.
- **Multimedia:** Apps used for sorting your media.
- **Security:** Antivirus apps.
- **Utilities:** Utility apps.
- **Advanced:** Install third party apps that are not available in the App Manager.

## How to Install Apps

Follow the steps below to install an app.

1. From the **Categories** menu select a category.
2. Hover the cursor over the desired app and click **Install**.
3. Once the app is installed, a new button called **Action** is available. Click the button and select the action you would like to perform from the drop down menu:
  - **Open:** Opens the app so that you can use it.



**Note:** You can also open the app from the **Home** screen.

- **Details:** Shows the app's details and allows you to set permissions. Note: Third party apps provide support details on this page.
- **Stop:** Stops the app. You must return to this option to turn it back on.
- **Uninstall:** Uninstalls the app.

## Maintenance

Check for updates regularly in Maintenance.

1. Open **App Manager**.

2. Check **Installed > Updates**.
3. If one or more updates are available, a number appears next to **Updates**. The number represents the number of updates that are available for the apps you have installed.
4. Click **Updates** to see a list of apps that are ready for updates.
5. Click the **Update** button that corresponds with the app you want to update.



**Note:** There are two buttons at the top right corner of the Updates screen, **Check Apps** and **Update all**. Use Check Apps to check for updates. Use the Update all to update all your apps at once. Update all can take some time to finish.

## Advanced

The advanced section is used for installing third party apps and updates that are not available in the App Manager. Follow the instructions below to use the advanced section.



**Note:** Seagate does not provide support for third party apps. If you have trouble with a third party app, contact the app's vendor.

To install an app, review the instructions below. Note that apps must have been created specifically for NAS OS and have the file extension `.rbw`.

1. Click **Advanced**.
2. Turn **Manual install mode to ON**.
3. Note the status of the Dependencies. They should be OK.
4. Click **Install**.
5. Browse to the app you wish to install and accept the terms.



**Note:** The app file type must be `.rbw`.


6. Click **Install**.

Once the app has installed it is located under **My Apps**.



**Note:** Seagate only provides support for Seagate branded apps. If you need support with a third party app, contact the app manufacturer.

# Filebrowser



Use the Filebrowser app to view, share and manage your files on your Seagate storage device. You can:

- Upload files
- View files
- Share files with family, friends and colleagues
- Play back audio and video files supported by your web browser
- Create folders
- Organize content
- Ingest from external drives

## Upload files

1. Go to the destination folder for your files.
2. Click the **Plus Sign** on the top right and choose **Upload**.
3. Select the files you want to upload.
4. Click **Open**.

## Share files

1. Navigate to the item you want to share.
2. Click **Share link**. You can:
  - Email the link from the Filebrowser's native email client or copy the link to your preferred email client.
  - Add a password or expiration date by clicking **Add password and expiration date**.



**Note on the share link :** The link to share a file or folder is created when you click **Share link**. Even if you do not send the link using the Filebrowser email client or copy it to your email client, the link has been created. If you mistakenly created the link or you do not want to keep it, click **Remove the link** in the Share link pop-up window.

# Viewing or listening to files

You can play media content in Filebrowser. If your browser supports the file type you should be able to play, view and listen to your content within the Filebrowser app.

## Manage content

1. Select the file or folder you want to manage.
2. Click **Actions**.
3. You can:
  - **Download:** Allows you to download the file
  - **Copy:** Allows you to navigate another folder and paste the item
  - **Rename:** Allows you to rename the file or folder
  - **Delete:** Deletes the selected item

## Create a Folder


1. Choose a share or folder to create the new folder. Click the **Plus Sign** choose **New Folder**.
2. Type the name of the new folder and click **Save**.

## Ingest from an external drive

1. Connect your external USB hard drive to one of the Personal Cloud's USB ports. Use the USB 3.0 port if your hard drive supports USB 3.0.
2. Open **Filebrowser**.
3. The following message appears: External storage connected **Copy to Seagate Personal Cloud**. Click **Copy to Seagate Personal Cloud**. **Note:** The name of the device can change based upon the name of your Seagate storage device.
4. Click **Copy to Seagate Device Name**.
5. Select the folders and files you want to copy and click **Copy**.
6. Select the destination folder and click **Copy**.
7. Choose how you would like to manage file conflicts and click **Save**.



# Backup Manager



The Backup Manager has four options: Backup, Restore, Sync, and Network Backup server. Backup, Restore, and Sync feature intuitive setup wizards.

## Backup

Use Backup to perform the following types of backups:

- Back up your Seagate Personal Cloud to:
  - External USB storage (USB hard drive or USB flash drive)
  - Network storage (Seagate or third-party network storage)
  - Cloud storage
- Back up external USB storage to your Seagate Personal Cloud (USB hard drive or USB flash drive).
- Back up network storage to your Seagate Personal Cloud (Seagate or third-party network storage).
- Back up cloud storage to your Seagate Personal Cloud.

Cloud services supported by Backup include:

- Amazon S3
- Baidu
- Box
- Dropbox
- Google Drive
- Strato HiDrive
- Yandex.disk
- OneDrive



**Note on computer backups:** You can back up your computers to the Seagate Personal Cloud. Backup applications such as Seagate Dashboard (Windows), Windows File History and Apple Time Machine manage how the computer backups are performed. Use your preferred backup application and choose a shared folder on your Seagate Personal Cloud as the destination for the computer backup. When performing a backup to a private share, make certain that a user can access the share. For more information, see [Back up](#).

## Restore

Restore a backup that has been performed on the [Backup](#) page.

## Sync

Choose one or more folders on your Seagate Personal Cloud to sync with your cloud storage account. Cloud services supported by Sync include:

- Baidu
- Dropbox
- Google Drive
- OneDrive

## Network Backup disk

Enable Network Backup so that other Seagate Personal Cloud or Seagate network storage devices can back up to your primary Seagate Personal Cloud.



**Important info on backups:** It is recommended that all users back up data to a USB storage device, another network storage device or cloud storage as further protection against a missing hard drive or secondary points of failure (e.g. hardware, network, etc.)



**Note on backup job order:** To conserve processing resources, the Seagate Personal Cloud runs one job at a time. If more than one job is scheduled for the same time or started manually, Backup Manager places them in a queue.

## Backup, Sync, and Restore examples

### Back up to a USB storage device

An owner keeps important files on her private share. Since remote access is not always available when she travels, the owner backs up her share to a portable USB storage device.

## Back up to a Seagate network storage device on the home network

To prevent data loss due to hardware failure, the owner schedules regular backups of Seagate Personal Cloud 1 to Seagate Personal Cloud 2. They are both on the same local network. Alternatively, the administrator can back up Seagate Personal Cloud 1 to a compatible third-party network storage device.

## Back up to a network storage device outside the local network (offsite)

To prevent data loss due to onsite fire, flood, or theft, the owner backs up data on Seagate Personal Cloud 1 at her home to Seagate Personal Cloud 2 at a her brother's home. A compatible third-party storage device can also act as the destination storage.

## Back up to a cloud service

To prevent data loss due to onsite fire, flood, or theft, the owner backs up data on Seagate Personal Cloud 1 to her OneDrive account.

## Restore

Someone at home accidentally deleted an important spreadsheet from his personal share. Fortunately, the owner backs up to another storage solution, such as USB storage, another Seagate network storage device or cloud storage. The owner can:

- Restore a backup to revert the share to an earlier state, including the lost file.
- Connect to the destination storage device from a computer and browse for the missing file. For example, retrieve the file from a cloud storage service that hosts a Personal Cloud backup.

**i** **Important info:** The time to complete the first backup job can vary based upon the amount of data and the speed of your network. It can take several hours or, if it is an offsite or cloud backup, several days.

## Create a backup

To create a backup:

1. Launch the Backup Manager app
2. Choose **Backup**.
3. Click **Add backup** to launch the Backup Wizard.

Follow the Backup Wizard to perform one of the following types of backup:

- Back up your Seagate Personal Cloud to:
  - External storage (USB hard drive or USB flash drive)
  - Network storage (Seagate or third-party network storage)
  - Cloud storage
- Back up external storage to your Seagate Personal Cloud (USB hard drive or USB flash drive).
- Back up network storage to your Seagate Personal Cloud (Seagate or third-party).

- Back up cloud storage to your Seagate Personal Cloud.

Review the topics below to better understand the settings and requirements for the type of backup you want to perform.

## Back up using USB storage

Perform the following types of backups with USB storage connected to your Seagate Personal Cloud:

- Seagate Personal Cloud to USB storage.
- USB storage to Seagate Personal Cloud.

You can optimize backups to and from a USB storage device connected to one of the USB ports on your Seagate Personal Cloud. Refer to the table below for the file formats that work best with your Seagate device. When configuring a backup with a USB device, the Backup Wizard gives you the option to format your USB storage for optimized backups. By using the optimized formats, you have the option to perform incremental backups.

An incremental backup allows you to back up new or modified files following the first backup. If the format is not optimized, you must perform full backups each time a job is run. A full backup copies everything on the source each time the backup is run.

Operating systems	Hard disk file system	Optimized backup (incremental)
Linux	EXT2, EXT 3, EXT 4, and XFS	Yes
Mac	HFS+ Non-Journaled	Yes
Mac	HFS+ Journaled	No
Windows/Mac	FAT32	No
Windows	NTFS	No

## Back up using network storage

Perform the following types of backups with a second Seagate Personal Cloud, another Seagate network storage device or a third-party network storage device:

- The primary Seagate Personal Cloud to a second Seagate Personal Cloud, another Seagate network storage device or third-party network storage device.
- A second Seagate Personal Cloud, another Seagate network storage device or third-party network storage device to the primary Seagate Personal Cloud.

The second Seagate Personal Cloud, Seagate network storage device or third-party network storage device can be located on the same network as the primary Seagate Personal Cloud or, on a network at a different

location (offsite).

## Backups between Seagate Personal Cloud and other network storage devices

Backups to and from your Personal Cloud and other Seagate network storage devices require a unique destination share called **Network Backup server**.

Backups to and from your Seagate Personal Cloud and a third-party network device can use an existing shared folder.

For example, the owner wants to back up shares on Seagate Personal Cloud A to Seagate Personal Cloud B. Seagate Personal Cloud A is the source network device and Seagate Personal Cloud B is the destination network device. To receive the backup data from Seagate Personal Cloud A, the destination device, Seagate Personal Cloud B, must enable its Network Backup server. Refer to the table below for examples of backups to and from Seagate and third-party network devices.

Type of network backup	Source device	Destination device	Destination folder
Backup to a Seagate network storage device	Seagate Device A on the local network	Seagate Device B on the local or remote network (offsite).	Network Backup server
Backup to a third-party network storage device	Seagate Device on the local network.	Third-party network device on the local or remote network (offsite).	Shared folder on the third-party network device that supports a compatible network protocol (see below).
Backup from a third-party network storage device	Third-party network device on the local or remote network (offsite). The device's shared folders must support a compatible network protocol (see below).	Seagate Device on the local network.	Shared folder on the Seagate network device.

### Enable Network Backup server

Before configuring network backups between Seagate devices, the administrator must enable the Network Backup server on the destination device.

1. Go to **Backup Manager > Network Backup server**.
2. Choose **Enable**.
3. At the prompt, enter and confirm a password. The password can be different from the password you

use for your Seagate Access sign-in (between 4 and 20 characters). Your Network Backup password will be needed when you set up a network backup.

4. Choose **Save**.

## Network Backup server settings

The Network Backup server table provides a summary of its settings. You can return to the Network Backup server page if you forget the password or you want to disable it.

- Only the administrator can access the Network Backup server settings.
- The administrator can find the Network Backup password if it is forgotten. Go to **Backup Manager > Network Backup server** and click on the magnifying glass icon.
- To change the Network Backup server password, pass the cursor to the right of the asterisks and choose the configuration icon (pencil).
- For offsite backups, administrators must confirm that the ports used by Personal Cloud backup jobs are available on the network router. The default port numbers are:
  - Port 22
  - Port 873 (encrypted backups)
- To delete the Network Backup server, choose **Disable**. A prompt will ask if you wish to keep data or delete all files within the share.

## Backups with third-party network storage

The Backup Wizard can help you create backups to and from third-party network storage devices that support the following protocols:

- Rsync
- SMB
- FTP
- NFS
- WebDav (Web Distributed Authoring and Versioning)

## Backups to network storage devices

### Home or local network

When performing network backups on a local network, make certain that:

- The source and destination network devices are powered on.
- The destination network storage device is connected to the same network as your source device.
- (Seagate network storage) The Network Backup server has been enabled and you have the password.
- (Third-party network storage) The third-party network device supports one of the five network protocols listed above.
- (Third-party network storage) You have noted the third-party network device's IP address or network name. Network naming services are not as reliable as IP addressing.
- (Third-party network storage) You have the username and password for the network device's backup service.

Similar to Seagate network devices, many third-party network devices have separate credentials for login

and backup.

## Remote network

When performing network backups to a remote network, make certain that:

- The source and destination network devices are powered on.
- You have the network device's **public IP address**. You can find the public IP address by visiting <http://www.whatismyip.com/> or by accessing your remote network's router management software. When searching for the public IP address, use a computer connected to the same router as the destination network storage device. For further information, review the user manual for the offsite network router or contact your Internet service provider.
- The ports are open for the backup. You may need to open ports using your router's management software. The ports to open are listed at **Backup Manager > Network Backup server**. Review your router's user manual for instructions on how to open ports for a device on the network.
- (Seagate network storage) The Network Backup server has been enabled on the destination device and you have the password.
- (Third-party network storage) The third-party network storage device supports one of the five network protocols listed above.
- (Third-party network storage) You have the username and password for the network device's backup service. Similar to Seagate network devices, many third-party network devices have separate credentials for login and backup.

## Advanced parameters for backups to network storage devices

The Backup Wizard includes four options for your backup. See the explanations below for each option. It is not mandatory to select one or more of the parameters to continue with the backup:

- **Encrypt data** uses encryption during the data transfer. The data is not encrypted once it is stored on the destination. This option is ideal for offsite backups.
- **Compress data** a transfer optimizes data transmission rates. Data is compressed during the transfer only. While this option is good for low bandwidth networks, it can affect the Personal Cloud's performance.
- **Incremental backup** is best used with backups that include files larger than 50MB. For example, if you edit a document that has already been backed up, only the edits will be copied during the next backup. This option can affect the Personal Cloud's performance.
- **Keep files on destination** keeps files on the destination network device even if they are deleted from the original network device's source folder.

## Back up using cloud storage

Before performing a backup to or from cloud storage, make certain:

- You have an account with one of the following services:
  - Amazon S3
  - Baidu
  - Box
  - Dropbox
  - Google Drive

- Strato HiDrive
- Yandex.disk
- OneDrive
- You have the necessary login and access credentials for your account. You cannot create a backup without your credentials.

## Advanced parameters for backups to cloud storage

The Backup Wizard includes one or more options for your backup. See the explanations below. It is not mandatory to select one or more options to continue with the backup:

- **Encrypt data during transfer** uses encryption during the data transfer. The data is not encrypted once it is stored on the destination. This option is ideal for offsite backups.
- **Keep files on destination** keeps files on the destination even if they are deleted from the source's folder.

## Sync folders

Use Sync to keep data in one or more folders on your Seagate Personal Cloud consistent with a folder in a cloud storage service. For example, you run a Sync job for Folder A on your Seagate Personal Cloud. It has 25 files when the Sync job is first created with a similarly named folder on OneDrive. Soon after, you copy file 26 to Folder A on your Seagate Personal Cloud. The same file 26 is automatically uploaded to OneDrive to keep both folders in sync. You can also add files to the folder on OneDrive and they will automatically sync with Folder A.

Before performing a sync to cloud storage, make certain:

- You have an account with one of the following services:
  - Baidu
  - Dropbox
  - Google Drive
  - OneDrive
- You have the necessary login and access credentials for your account. You cannot create a sync without your credentials.

## Create a sync:

1. Launch the Backup Manager app.
2. Choose **Sync**.
3. Click **Add sync job** to launch the Sync Wizard and follow it to completion.

## Restore a backup

Backups to or from your Seagate Personal Cloud can be restored. You can restore a backup to the original source folder or choose another folder for your backed up files. Follow the directions below to restore a backup.

1. Launch the Backup Manager app.



1. Launch the **Backup Manager** app.
2. Choose Restore.
3. Click **Add** restore to launch the Restore Wizard and follow it to completion.

## Backup and sync job options and start/stop

### Options

Follow the steps below to review and change options for a backup or sync job.

1. Launch the **Backup Manager** app.
2. For backups, locate the backup you want to modify then pass the cursor to the far right of its row to enable the Edit pull-down menu.
3. For sync jobs, click **Sync** and locate the sync you want to modify then pass the cursor to the far right of its row to enable the Edit pull-down menu.
4. You can choose:
  - Details
  - Enable/Disable the OneTouch button (if applicable)
  - Edit authentication
  - Edit description
  - Edit schedule
  - Disable
  - Restore
  - Delete

If you disable a scheduled job, it will not run until it is enabled again.

### Starting/stopping jobs

Locate the backup or sync job you want to stop or start and pass the cursor to the far right of its row to view the triangular and square icons:

- **Start a job:** choose the triangular icon.
- **Stop a job that is in progress:** choose the square icon.

# Appendix A: Compliance and Safety

## Regulatory Compliance

### FCC DECLARATION OF CONFORMANCE

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

### FCC Class B Information

#### FCC Class B Information

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

**FCC Caution:** Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment.

#### IMPORTANT NOTE: FCC Radiation Exposure Statement

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.

This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

The availability of some specific channels and/or operational frequency bands are country dependent and are firmware programmed at the factory to match the intended destination. The firmware setting is not accessible by the end user.

Note to US model owner: To comply with US FCC regulation, the country selection function has been completely removed from all US models. The above function is for non-US models only.

## Industry Canada

This device complies with RSS-210 of the Industry Canada Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Ce dispositif est conforme à la norme CNR-210 d'Industrie Canada applicable aux appareils radio exempts de licence. Son fonctionnement est sujet aux deux conditions suivantes: (1) le dispositif ne doit pas produire de brouillage préjudiciable, et (2) ce dispositif doit accepter tout brouillage reçu, y compris un brouillage susceptible de provoquer un fonctionnement indésirable.

**IMPORTANT NOTE:** (For mobile device use)

### Radiation Exposure Statement:

This equipment complies with IC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.

**NOTE IMPORTANTE:** (Pour l'utilisation de dispositifs mobiles)

### Déclaration d'exposition aux radiations:

Cet équipement est conforme aux limites d'exposition aux rayonnements IC établies pour un environnement non contrôlé. Cet équipement doit être installé et utilisé avec un minimum de 20 cm de distance entre la source de rayonnement et votre corps.

## Europe - EU Declaration of Conformity

This device complies with the essential requirements of the EMC Directive 2004/108/EC. The following test methods have been applied in order to prove presumption of conformity with the essential requirements of the EMC Directive 2004/108/EC:

- EN 60950-1:2006/AC:2011: Information technology equipment - Safety - Part 1: General requirements

- EN 55022: 2010/AC:2011: Information technology equipment - Radio disturbance characteristics
- Limits and methods of measurement
- EN 55024: 2010: Information technology equipment - Immunity characteristics - Limits and methods of measurement



Česky [Czech]	Seagate tímto prohlašuje že tento Desktop NAS je ve shodě se základními požadavky a dalšími příslušnými ustanoveními směrnice 2004/5/ES.
Dansk [Danish]	Undertegnede Seagate erklærer herved at følgende udstyr Desktop NAS overholder de væsentlige krav og øvrige relevante krav i direktiv 2004/5/EF.
Deutsch [German]	Hiermit erklärt Seagate, dass sich das Gerät Desktop NAS in Übereinstimmung mit den grundlegenden Anforderungen und den übrigen einschlägigen Bestimmungen der Richtlinie 2004/5/EG befindet.
Eesti [Estonian]	Käesolevaga kinnitab Seagate seadme Desktop NAS vastavust direktiivi 2004/5/EÜ põhinõuetele ja nimetatud direktiivist tule-nevatele teistele asjakohastele sätetele.
English	Hereby, Seagate, declares that this Desktop NAS is in compliance with the essential requirements and other relevant provisions of Directive 2004/5/EC.
Español [Spanish]	Por medio de la presente Seagate declara que el Desktop NAS cumple con los requisitos esenciales y cualesquiera otras disposiciones aplicables o exigibles de la Directiva 2004/5/CE.
Ελληνική [Greek]	ΜΕ ΤΗΝ ΠΑΡΟΥΣΑ Seagate ΔΗΛΩΝΕΙ ΟΤΙ Desktop NAS ΣΥΜΜΟΡΦΩΝΕΤΑΙ ΠΡΟΣ ΤΙΣ ΟΥΣΙΩΔΕΙΣ ΑΠΑΙΤΗΣΕΙΣ ΚΑΙ ΤΙΣ ΛΟΙΠΕΣ ΣΧΕΤΙΚΕΣ ΔΙΑΤΑΞΕΙΣ ΤΗΣ ΟΔΗΓΙΑΣ 2004/5/EK.
Français [French]	Par la présente Seagate déclare que l'appareil Desktop NAS est conforme aux exigences essentielles et aux autres dispositions pertinentes de la directive 2004/5/CE.
Italiano [Italian]	Con la presente Seagate dichiara che questo Desktop NAS è conforme ai requisiti essenziali ed alle altre disposizioni pertinenti stabilite dalla direttiva 2004/5/CE.
Latviski [Latvian]	Ar šo Seagate deklarē, ka Desktop NAS atbilst Direktīvas 2004/104/EK būtiskajām prasībām un citiem ar to saistītajiem noteikumiem.
Lietuvių [Lithuanian]	Šiuo Seagate deklaruoja, kad šis Desktop NAS atitinka esminius reikalavimus ir kitas 2004/104/EB Direktyvos nuostatas.

Nederlands [Dutch]	Hierbij verklaart Seagate dat het toestel Desktop NAS in overeenstemming is met de essentiële eisen en de andere relevante bepalingen van richtlijn 2004/104/EG.
Malti [Maltese]	Hawnhekk, Seagate, jiddikjara li dan Desktop NAS jikkon-forma mal-htigijiet essenzjali u ma provvedimenti oħrajn re-levanti li hemm fid-Dirrettiva 2004/104/EC.
Magyar [Hungarian]	Alulírott, Seagate nyilatkozom, hogy a Desktop NAS megfelel a vonatkozó alapvető követelményeknek és az 2004/104/EC irányelv egyéb előírásainak.
Polski [Polish]	Niniejszym Seagate oświadcza, że Desktop NAS jest zgodny z zasadniczymi wymogami oraz pozostałymi stosownymi postanowieniami Dyrektywy 2004/104/EC.
Português [Portuguese]	Seagate declara que este Desktop NAS está conforme com os requisitos essenciais e outras disposições da Directiva 2004/104/CE.
Slovensko [Slovenian]	Seagate izjavlja, da je ta Desktop NAS v skladu z bistvenimi zahtevami in ostalimi relevantnimi določili direktive 2004/104/ES.
Slovensky [Slovak]	Seagate týmto vyhlasuje, že Desktop NAS spĺňa základné požiadavky a všetky príslušné ustanovenia Smernice 2004/104/ES.
Suomi [Finnish]	Seagate vakuuttaa täten että Desktop NAS tyyppinen laite on direktiivin 2004/104/EY oleellisten vaatimusten ja sitä koskevien direktiivin muiden ehtojen mukainen.
Svenska [Swedish]	Härmed intygar Seagate att denna Desktop NAS står i överensstämmelse med de väsentliga egenskapskrav och övriga relevanta bestämmelser som framgår av direktiv 2004/104/EG.

## Safety Guidelines



**Important info:** Refer to [Warranty](#) before performing any hardware repairs or maintenance that is not described in this manual.

## Power Source



**Caution:** Use the product with the provided power supply only.



**Note:** To protect your data, always follow the safe removal procedures for your operating system when disconnecting your product.

## Safety Handling

Permanently unplug the unit if you think that it has become damaged in any way.

You must shut down and disconnect power from the Personal Cloud before maintenance or physical troubleshooting is performed on the device.

Shut down and unplug the unit before moving it.

## Safety

### Power Supply

The Personal Cloud must only be operated from a power supply input voltage range of 100 - 240 VAC, 50 to 60 Hz.

The drive's power supply is not serviceable or replaceable. If Seagate technical support has determined that the power supply is faulty or has failed and the unit is under warranty, return the Personal Cloud to Seagate per the instructions provided by the Seagate technician.

## Environment

Make sure that the electrical connection to the power cord is grounded.

Provide a suitable power source with electrical overload protection to meet the requirements of the technical specification.

Never expose your device to rain, use it near water, or use it in damp or wet conditions. Never place objects containing liquids on the enclosure, because liquid could spill into its openings. Doing so increases the risk of electrical shock, short-circuiting, fire, or personal injury.

Always unplug the device from the electrical outlet if there is a risk of lightning or if it will be unused for an extended period of time.

Do not use the Personal Cloud as a shelf to support any other object.

## Personal Cloud Placement

Place your Personal Cloud on a surface that is capable of supporting its weight, including the hard drives and accessories attached to the Personal Cloud ports. Make sure the Personal Cloud is placed securely and cannot tip or be pushed over. Do not stack items on it. Doing so can prevent proper airflow and affect operation.

The maximum ambient temperature during operation is 40°C or 104°F.

The power connection must have a safe electrical distribution system and provide overcurrent protection.

The power supply unit has a ground leakage current of 3.5mA. The design of the electrical distribution system must take into consideration the total ground leakage current from all the power supplies in all the units.

## Data Security

Any loss, corruption, or destruction of data while using a Seagate hard drive or a hard drive system is the sole responsibility of the user. Under no circumstances will Seagate be held liable for the recovery or restoration of this data. To help prevent the loss of your data, Seagate highly recommends that you keep TWO copies of your data: one copy on your Personal Cloud, and a second copy on one of the following:

- Direct-attached storage (DAS)
- Another NAS device
- Cloud storage
- Some form of removable storage or archival media



**Important info:** 1GB = 1,000,000,000 bytes. 1TB = 1,000,000,000,000 bytes. After the drive is formatted, the available storage capacity varies depending on your operating environment (typically 10%-15% less).